Google

PROXY AND CUSTOMIZATION AND INTERC(| Search | Advanced Search
                                                 Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 10** of about **132,000** for **PROXY** AND **CUSTOMIZATION** AND **INTERCEPTOR** AND **APPLICATION**. (0.15 seconds)

Red Hat Linux JB261 JBoss for Advanced J2EE Developers at Global ...
Grasp how the dynamic **proxy** approach of JBoss **application** server works. Learn
how to **customize** the **proxy** implementations executed by the client **applications** ...
www.globalknowledge.com/.../course.asp?pageid=9&
courseid=9921&catid=400&country=United+States - 25k - Cached - Similar pages

redhat.com | RHD261 Course Outline
Learn how to **customize** the **proxy** implementations executed by the client
applications, how to take advantage of the location dependent information inside
the ...
www.redhat.com/training/jboss/courses/rhd261_content.html - 19k -
Cached - Similar pages

System for customizing on-line computer services - Patent 20030126312
The **interceptor** system includes a **proxy** interacting with the **application**, a
customization module interacting with the **proxy** and a dispatcher interacting ...
www.freepatentsonline.com/20030126312.html - 46k - Cached - Similar pages

[PDF] JBoss for Advanced J2EE Developers
File Format: PDF/Adobe Acrobat - View as HTML
proxy approach of JBoss **application** server works. Learn how to **customize** the ...
We will show how the **interceptor** based middleware design ...
www.apac.redhat.com/pdf/advanced.pdf - Similar pages

[PDF] JBoss for Advanced J2EE Developers, RH261
File Format: PDF/Adobe Acrobat - View as HTML
JBoss **application** server works. Learn how to **customize** the **proxy** ... show how
the **interceptor** based middleware design allows your server to be configured as ...
www.ecs.com.sg/training/RH261.pdf - Similar pages

CASifying IBM WebSphere (WAS), Websphere Portal Server (WPS ...
This means that all **applications** running in this **application** server must declare the
Proxy Ticket Receptor Servlet if you use it. ...
www.ja-sig.org/wiki/pages/viewpage.action?pageId=19314 - 31k -
Cached - Similar pages

InterceptionMetadata (Pitchfork 1.0-m4 API)
Use Spring AOP to create a **proxy** invoking the JEE-style **interceptors** and any
Spring-style ... Perform optional **customization** of ProxyFactory before use ...
static.interface21.com/.../files/m4/docs/
api/org/springframework/jee/intercept/InterceptionMetadata.html - 67k -
Cached - Similar pages

Internal architecture of client part for Clustered Remoting For ...
It is possible to **customize** all internals of client **proxy** ... that trace **interceptor**
should be used as well as specify implementation of such **interceptor**. ...
www.soft-amis.com/cluster4spring/architecture_client.html - 19k -
Cached - Similar pages

Dr. Dobb's | CORBA Metaprogramming Mechanisms, Part 1 | March 1, 2003
Two types of **interceptors** are defined in the CORBA Portable **Interceptor** ...
Application developers can **customize** the behavior of their software at ...
www.ddj.com/cpp/184403860 - 63k - Cached - Similar pages

Ken DeLong's Java Musings : Weblog
First, the overridden method checks to see if Spring thinks it's ok to **proxy** this object.
If so, it tries to create a JMX performance **interceptor**. ...
www.jroller.com/kenwdelong/entry/performance_monitoring_with_spring_aop - 50k -
Cached - Similar pages

Web   Images   Video   News   Maps   Gmail   more ▾

Google
     .

PROXY AND CUSTOMIZATION AND INTERC[Search   ] Advanced Search
                                                    Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

──

Web   Results **11 - 20** of about **132,000** for **PROXY** AND **CUSTOMIZATION** AND **INTERCEPTOR** AND **APPLICATION**. (0.12 seconds)

hibernate.org - Wiki Overview
HibernatePicofier - Using an **Interceptor** to Inject Dependencies into Persistent
Objects: Using Pico in a Hibernate **application** is pretty straight forward. ...
www.hibernate.org/37.html?cmd=srchdoc&q=**interceptor** - 28k -
Cached - Similar pages

Ned Wolpert - Entries from April 2005
Note about **interceptors**, they do NOT use AOP for it, just the Java **proxy** facility. ....
proxies and **interceptors**... so its easy to **customize** the **interceptor** ...
www.codeheadsystems.com/blog/archives/2005/04.html - 61k -
Cached - Similar pages

BSG Training Services - JBoss for Java Developers
Interceptors are stateless Java classes that work in the EJB3 container in a ... of the
JBoss **Application** Server and will understand how to **customize** or ...
www.bsg.co.uk/services/jboss/jboss_intro.aspx - 21k - Cached - Similar pages

SourceForge.net: 4.0.1 Changes
Extend the **proxy** ClientContainer to provide access to the **interceptors** and
invocation context so that clients can **customize** the **proxy** outside of the server. ...
sourceforge.net/docman/display_doc.php?docid=26099&group_id=22866 - 36k -
Cached - Similar pages

Agus sugianto
Following a quick introduction to the implementation example, you'll learn about
some of the ways you can **customize application** security using Acegi. ...
jeni.jardiknas.org/roller/pojok/entry/200710211 - 31k - Cached - Similar pages

[PDF] JBoss For Java JBoss For Java Developers with EJB3 Developers with ...
File Format: PDF/Adobe Acrobat - View as HTML
Application Server EJB3 container such. as smart **proxy** technology. ... annotations
and **interceptor** classes for. EJB3 stateful session beans are thoroughly ...
www.apac.redhat.com/pdf/java.pdf - Similar pages

[PPT] Slide 1
File Format: Microsoft Powerpoint - View as HTML
Application. Concrete. **Interceptor**. **Interceptor**. UML Class Diagram ... **Interceptor**
Proxy / Delegator - Customized Service; Portable **Interceptor**; Strategies ...
www.cs.wustl.edu/~mdeters/doc/slides/**interceptors**.ppt - Similar pages

Customization of distributed systems using COM
However, some **applications** might. need to **customize** the client-server connection,
for a number .... mechanism called **interceptors**, which support indirection ...
ieeexplore.ieee.org/iel4/4434/15346/00708249.pdf?arnumber=708249 -
Similar pages

JSON Plugin
If the **interceptor** is used, the action will be populated from the JSON ... Use the
JSON annotation to **customize** the serialization/deserialization process. ...
cwiki.apache.org/S2PLUGINS/json-plugin.html - 35k - Cached - Similar pages

IBM WebSphere Developer Technical Journal: Advanced authentication ...
HTTP clients can also pass identity information to WebSphere **Application** Server by
using a trust association **interceptor** (TAI). The TAI interface provides a ...
www.ibm.com/developerworks/websphere/
techjournal/0508_benantar/0508_benantar.html - 160k - Cached - Similar pages

Google

PROXY AND CUSTOMIZATION AND INTER([Search]   Advanced Search
                                                  Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **21 - 30** of about **132,000** for **PROXY** AND **CUSTOMIZATION** AND **INTERCEPTOR** AND **APPLICATION**. (0.09 seconds)

[DOC] Understanding Windows Communication Foundation Extensibility
File Format: Microsoft Word - View as HTML
Remoting was designed with extensibility in mind so you can **customize** any of .....
Using a message **interceptor** you can register all **application** messages. ...
weblogs.asp.net/andresv/attachment/689792.ashx - Similar pages

[DOC] Annotations_HICSS_Paper
File Format: Microsoft Word - View as HTML
This makes it easier to **customize** the **application proxy** behavior. ... A page
interceptor can similarly be implemented as a post-method to the request object ...
www.objs.com/survey/annotations-hicss.doc - Similar pages

   OSA Intermediary Architecture Infrastructure
   The **Interceptor** Architecture (IA) we have designed and implemented provides a.
   mechanism by which an **application's** behavior can be dynamically augmented by ...
   www.objs.com/agility/tech-reports/9812-IA-paper/IA-WWW8.html - 73k -
   Cached - Similar pages

jdon: Jdon Framework
You can insert a **Interceptor** by XML files aspect.xml, Jdon has some default
interceptos, ... When you use session beans, Jdon become a invocation **proxy**, ...
https://jdon.dev.java.net/ - 28k - Cached - Similar pages

Providing QoS **Customization** in Distributed Object Systems
Providing QoS **Customization** in Distributed Object Systems. 353. CQoS.
Middleware. CQoS. Service. **Interceptor**. CQoS. Server **Application**. Client
Application ...
www.springerlink.com/index/4KY3EQ6JL33Y7Y1H.pdf - Similar pages

Yetanother - Azuki_framework
The framework ensure that **application's** components remain independent of each
other. ... using only few design pattern like decorator, **proxy** or **interceptor**. ...
www.azuki-framework.org/wiki/index.php?title=Yetanother - 16k -
Cached - Similar pages

Customization of Distributed Systems Using COM
However, some **applications** might need to **customize** the client-server ... COM+
runtime and services will provide a general mechanism called **interceptors**, ...
doi.ieeecs.org/10.1109/4434.708249 - Similar pages

Internet Access Design, Development and **Customization** ...
The ProxySG family of appliances delivers a **proxy** platform architecture to secure
Web communications & accelerate the delivery of business **applications**. ...
www.knowledgestormrfid.com/.../DirectSSkw/
Internet+Access+Design,+Development+and+**Customization** - 90k -
Cached - Similar pages

Policy Injection **Application** Block - ObjectBuilder - Dependency ...
The Policy Injection **Application** Block substitutes a **proxy** class for my Order ....
generate a **proxy** for you and will send the call to your **interceptor**. ...
codebetter.com/.../Policy-Injection-**Application**-Block-_2D00_-ObjectBuilder-
_2D00_-Dependency-Injection.aspx - 91k - Cached - Similar pages

Service-context propagation over RMI: Implementation follow-up ...
New features, such as common purpose **interceptor** libraries, ... of an RMI extension
starts from naming-service **customization**. ... Dynamic **Proxy** Classes ...
www.javaworld.com/javaworld/jw-04-2005/jw-0404-rmi.html?page=3 - 45k -
Cached - Similar pages

Google
  ·

[PROXY AND CUSTOMIZATION AND INTER( ] [Search]   Advanced Search
                                                       Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

──

Web   Books   Results **31 - 40** of about **132,000** for **PROXY** AND **CUSTOMIZATION** AND **INTERCEPTOR** AND **APPLICATION**. (0.07 seconds

[PS] A Framework for Building Adaptive Distributed **Applications**
File Format: Adobe PostScript - View as Text
and a server, where a **proxy** is placed between them. We followed a more generic
approach, ... the distributed **application**. Using **interceptors**, the ...
www.cs.wustl.edu/~corsaro/papers/RM2003/p7-silva.ps - Similar pages

Chapter 7. Transaction management
Then, when BeanNameAutoProxyCreator postprocesses the target object and create
the **proxy**, it causes the **proxy** to be inserted into the **Application** context ...
static.springframework.org/spring/docs/1.1.5/reference/transaction.html - 41k -
Cached - Similar pages

Security
The exception is if the third-party authentication **proxy** or server has been
configured ... A Trust Association **Interceptor** is a **Application** Server function ...
wps2a.semi.org/wps/doc/en/InfoCenter/wpf/security.html - 24k -
Cached - Similar pages

Middleware 2001: IFIP/ACM International Conference on Distributed ... - Google Books Result
by Rachid Guerraoui - 2001 - Computers - 394 pages
The fine-grain configurability supported by Cactus provides the flexibility needed to
customize guarantees independently for each **application** across a broad ...
books.google.com/books?isbn=3540428003...

Java **Application's** Packet Eavesdropper for Content Delivery Network
customize accesses to foreign CDN **applications**. In the paper we propose Java
Application's .... hardware packet **interceptor**, the functions or services of ...
ieeexplore.ieee.org/iel5/9746/30737/01423616.pdf?arnumber=1423616 -
Similar pages

Red Hat Linux JB161 JBoss and EJB3 for Java Developers at Global ...
No prior knowledge of J2EE or the JBoss **Application** Server is required. ...
Customize or augment the **application** server behaviors; Package and deploy a
JMX ...
www.globalknowledge.com/.../course.asp?pageid=9&
courseid=9918&catid=400&country=United+States - 24k - Cached - Similar pages

ssso.tigris.org
Customize my project home page? Get release notes for CollabNet 4.5.1? ...
Gateway/reverse **proxy** approach. All **applications** are made available through a ...
ssso.tigris.org/ - 23k - Cached - Similar pages

[A Framework for Smart Proxies and **Interceptors** in RMI] C.I.S.U.C.
This paper presents a framework based on the Dynamic **Proxy** API for using smart
proxies and **interceptors** with RMI. This framework requires no changes in the ...
www.cisuc.uc.pt/view_pub.php?id_p=363 - 12k - Cached - Similar pages

[PPT] WLP Product Presentation
File Format: Microsoft Powerpoint - View as HTML
Personalize and **customize** portals and deliver targeted content using online ....
Interceptors are associated with specific consumer web **applications** (web ...
www.bea.com/dev2dev/events/BEA_WLP_92_final.ppt - Similar pages

Web Framework archive at samaxes
For Dojo Offline, we only want to talk to the local **proxy** and cache files for Dojo
Offline web **applications**, not for all web sites so that that we don't ...
samaxes.com/category/web/web-framework/ - 53k - Cached - Similar pages

Google
.

| PROXY AND CUSTOMIZATION AND INTER(| Search | Advanced Search
Preferences |

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **41 - 50** of about **132,000** for <u>**PROXY**</u> AND <u>**CUSTOMIZATION**</u> AND <u>**INTERCEPTOR**</u> AND <u>**APPLICATION**</u>. (0.09 seconds)

Why does my ISV **Proxy** in SMS 2003 can talk with the MP in SCCM ...
I have a small **application** in a SMS 2003 which uses the MP API to issue
"Content .... Administration and Operation, -» SharePoint - Design and   .
Customization ...
forums.microsoft.com/TechNet/ShowPost.aspx?PostID=2254936&SiteID=17 - 91k -
Cached - Similar pages

[ODF] Metro (JAX-WS) Doug Kohlert Senior Staff Engineer Sun Microsystems ...
File Format: OpenDocument - View as HTML
return **proxy**.add(35, 7);. } Using The Binding **Customization** Language ....
Optionally, **applications** can control low-level functionality, e.g. ...
wiki.glassfish.java.net/attach/Presentations/metro-pjug-6_2007.odp - Similar pages

Login scenarios and techniques in WebSphere **Application** Server ...
Customization for this scenario is only required in the **application** code, ... gone
into details about the WebSphere Trust Association **Interceptor** (TAI), ...
www.ibm.com/developerworks/websphere/
library/techarticles/0702_kovari/0702_kovari.html - 110k - Cached - Similar pages

Find **Proxy** Server - Buyers' Guide Results for Find **Proxy** Server
Customize lookup and verification routines to clean up, standardize, and enhance
contact information in seconds! Empower your custom **applications** or Web ...
guides.computerworld.com/search/keyword/cwguides/Find%20**Proxy**%
20Server/Find%20**Proxy**%20Server - 144k - Cached - Similar pages

Chapter 7. Spring AOP APIs
For new **applications**, we recommend the use of the Spring 2.0 AOP support ..... An
Advisor and an **Interceptor** used to provide advice. An AOP **proxy** bean ...
www.springframework.org/docs/reference/aop-api.html - 96k -
Cached - Similar pages

How to set **proxy** while deploying a bpel ...
at com.evermind.server.ejb.**interceptor**.system.JAASInterceptor$1.run
(JAASIntercep .... Just restart your server and test your **application** and
integration ...
forums.oracle.com/forums/thread.jspa?messageID=2129235 - 77k -
Cached - Similar pages

Interceptor Architecture - April 1999
Three of the web **applications** include Netscape's Mozilla Browser, W3C Jigsaw
running as a server, and Jigsaw running as a **proxy**. In this section we will ...
www.icc3.com/ec/architecture/javabased.html - 98k - Cached - Similar pages

Java Dynamic Management Kit - Release History
Context checking in the agent **application** allows management requests to be ...
SNMP functionality was expanded by providing an example of an SNMP **proxy**, ...
java.sun.com/products/jdmk/release.html - 20k - Cached - Similar pages

Configuring JAX-WS Handlers on the Client & Tech Tips Quiz
test1 uses handlers that are configured on a **proxy** using JAX-WS WSDL
customization. test2 uses a HandlerResolver to set handlers on a service. ...
java.sun.com/mailers/techtips/enterprise/2006/TechTips_Sept06.html - 32k -
Cached - Similar pages

JBoss 4.0 The Official Guide - The EJB Server-Side View
Building JBoss AOP **Applications** ... Packaging and Deploying AOP **Applications** to
JBoss ... HomeInterceptor</**interceptor**> <**interceptor**>org.jboss.**proxy**. ...
www.ubookcase.com/book/Sams/JBoss.
4.0.The.Official.Guide/0672326485/ch05lev1sec2.html - 52k -
Cached - Similar pages

Google
    ·

    PROXY AND CUSTOMIZATION AND INTERC [Search]   Advanced Search
                                                      Preferences

    The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

___

Web   Results **51 - 60** of about **132,000** for **PROXY** AND **CUSTOMIZATION** AND **INTERCEPTOR** AND **APPLICATION**. (0.07 seconds)

Revocation List and **Proxy**/Firewall - MSDN Forums
I'm using a ClikOnce **application** to verify and sign. .... Upgrade, Administration and
Operation, -» SharePoint - Design and **Customization** ...
forums.microsoft.com/MSDN/ShowPost.aspx?PostID=2301375&SiteID=1 - 70k -
Cached - Similar pages

Welcome to Coast Data Systems Limited
Interceptor prevents known and unknown spyware while enabling legitimate
applications via proven **proxy** technology. **Interceptor's** patent-pending
SCOPE™ ...
www.coastdata.co.ke/enterprise.html - 58k - Cached - Similar pages

Product Focus: Behavior-Blocking Stops Unknown Malicious Code
Rather than use a sandbox, the Storm-Watch agent simply monitors every
application on the desktop. Four modules-the file **interceptor**, the network ...
www.aladdin.com/about/press/esafe/networkMag.htm - 29k - Cached - Similar pages

Component Object Model (COM)
However, some **applications** may need to **customize** the client-server connection ...
a general mechanism called **interceptors**, which support indirection through ...
research.microsoft.com/~ymwang/papers/HTML/COMEssay/S.htm - 32k -
Cached - Similar pages

Tekguard EMail **Interceptor**
Net multithreaded **application**, with Multiple CPU Support, EMail **Interceptor**
processes email faster than its competitors (Cb). The Cached Memory Mode
stores ...
www.andrewm.com/Content/Technology/Programming/TekGuard.htm - 37k -
Cached - Similar pages

[PDF] Scalable Evolution of Highly Available Systems
File Format: PDF/Adobe Acrobat - View as HTML
proxy or a skeleton. Subdividing **interceptors** into these two .... developed a fault
injection framework to **customize** the. **interceptors** before they are added ...
www.cse.ohio-state.edu/siefast/msr-cont-self-maint/
publications/hallstrom2003scalable.pdf - Similar pages

ACM: Digital Library: Communications of the ACM
It communicates to the card **applications** via standardized APDU messages. The
Proxy Server consists of two modules: the **Interceptor** and the Off-card Cookies ...
portal.acm.org/ft_gateway.cfm?id=1096002&type=html - Similar pages

USENIX ;login: - June 2000 - Tcl/Tk Conference Summaries
These methods provide sets of new procedures and **interceptors** for existing
procedures for an object for behavior **customization**. These **interceptors** can be ...
www.usenix.org/events/tcl2k/loginsummaries/summaries.html - 45k -
Cached - Similar pages

NONAGS Misc. Internet **Applications** - Freeware
Description: Trivial **Proxy** is a small **application** that allow to see and log ..... have
easy to use interfaces, while maintaining the ability to **customize**. ...
www.nonags.com/nonags/miscnet.html - 119k - Cached - Similar pages

hammett - Weblog
Berin's Dojo relies on events to allow extensions and **customization**. .... We really
need **interceptor** capabilities in our **application** to interact with ...
www.jroller.com/hammett/feed/entries/atom?cat=%2FOpen+source - 89k -
Cached - Similar pages

Web   Images   Video   News   Maps   Gmail   more ▾   Sign in

Google

PROXY AND CUSTOMIZATION AND INTER([Search] Advanced Search
                                               Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results **1 - 10** of about **30,100** for **PROXY** AND **CUSTOMIZATION** AND **INTERCEPTOR** AND **APPLICATION** SUBSYSTEM. (0.21 secon

System for customizing on-line computer services - Patent 20030126312
A computer system comprising: an **application**; a **sub-system** for having an
interaction with the **application**; an **interceptor** system including: a **proxy** having ...
www.freepatentsonline.com/20030126312.html - 46k - Cached - Similar pages

Security
A security component or **subsystem** allows an administrator to protect resources
by ... A Trust Association **Interceptor** is a **Application** Server function ...
wps2a.semi.org/wps/doc/en/InfoCenter/wpf/security.html - 24k -
Cached - Similar pages

[PDF] Scalable Evolution of Highly Available Systems
File Format: PDF/Adobe Acrobat - View as HTML
Send-type **interceptors** are invoked immediately after. an envelope is passed from a
proxy or a skeleton to the. interception **subsystem** for delivery. ...
www.cse.ohio-state.edu/siefast/msr-cont-self-maint/
publications/hallstrom2003scalable.pdf - Similar pages

IBM WebSphere Developer Technical Journal: Advanced authentication ...
HTTP clients can also pass identity information to WebSphere **Application** Server by
using a trust association **interceptor** (TAI). The TAI interface provides a ...
www.ibm.com/developerworks/websphere/
techjournal/0508_benantar/0508_benantar.html - 160k - Cached - Similar pages

Provider Endpoint on **Application** Use versus Server **Proxy** Endpoint ...
Why is the **PROXY** endpoint a WebServiceProvider on **Application** Use within the ...
On the **sub-system**, the **proxy** endpoint is represented as a **proxy** endpont ...
forums.microsoft.com/MSDN/ShowPost.aspx?PostID=208594&SiteID=1 - 157k -
Cached - Similar pages

SQL Agent/**Proxy**/Credentials/Active Directory - MSDN Forums
d) granted **proxy** to **subsystem** SSIS. all was working until of coarse the ... Visual
Studio **Application** Verifier, -» Visual Studio Code Analysis and Code ...
forums.microsoft.com/MSDN/ShowPost.aspx?PostID=2322540&SiteID=1 - 72k -
Cached - Similar pages

Welcome to Security: WebSphere **Application** Server for z/OS
When you install, configure, or **customize** WebSphere **Application** Server for .....
The administrative **subsystem** security configuration is always determined by ...
publib.boulder.ibm.com/.../ws51help/topic/
com.ibm.websphere.zseries.doc/info/zseries/ae/welc_security.html - 35k -
Cached - Similar pages

Research Project: An Analysis of JBoss Architecture
In this project we analysis JBoss **application** server architecture .... If there is error
or exception in an **interceptor** processing, then it fails there. ...
www.huihoo.org/jboss/jboss.html - 68k - Cached - Similar pages

[PDF] Secure Virtual Enclaves: Supporting Coalition Use of Distributed ...
File Format: PDF/Adobe Acrobat - View as HTML
taken by the **application interceptor**, in combination with ...... communication **sub-
system** for high availability. In Proceedings. of the 22 ...
www.isso.sparta.com/documents/sve_abstract.pdf - Similar pages

[PDF] Evaluating Meta-Programming Mechanisms for ORB Middleware 1 ...
File Format: PDF/Adobe Acrobat - View as HTML
customize server components transparently. Section 3.2 describes the smart **proxy**
and **interceptor** meta-. programming mechanisms and Section 3.3 describes the ...
www.cs.wustl.edu/~schmidt/PDF/IEEE.pdf - Similar pages

Google

PROXY AND CUSTOMIZATION AND INTER([Search] **Advanced Search**
                                                Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results **11 - 20** of about **30,100** for **PROXY** AND **CUSTOMIZATION** AND **INTERCEPTOR** AND **APPLICATION** SUBSYSTEM. (0.07 seco

[PDF] E-CoBROWSE: co-Navigating the Web with Chat-pointers and Add-ins ...
File Format: PDF/Adobe Acrobat - View as HTML
requirements on the client side: browser **customization**, ... **application proxy**
server. The main responsibility of the. **interceptor** is to monitor URL requests ...
c3.unu.edu/c3/publications/resources/CTS-321-301.pdf - Similar pages

Libpcap, winpcap, libdnet, and libnet **applications** and resources
ettercap is a network sniffer/**interceptor**/logger for ethernet LANs (both switched .....
the Linux 2.4 firewalling **subsystem**. ulogd is able to log packets in ...
www.stearns.org/doc/pcap-apps.html - 119k - Cached - Similar pages

[PDF] Libpcap, winpcap, libdnet, and libnet **applications** and resources
File Format: PDF/Adobe Acrobat - View as HTML
ARP0c is a connection **interceptor** (using ARP spoofing and a bridging engine). .....
for the ULOG target of netfilter, the Linux 2.4 firewalling **subsystem**. ...
www.stearns.org/doc/pcap-apps.v1.0.pdf - Similar pages

[PDF] Simplifying the Development of Autonomic Enterprise Java Bean ...
File Format: PDF/Adobe Acrobat - View as HTML
Proxy/Interceptor approach since it is not currently in-. tended to retrofit existing
applications. AspectJ and AspectWerkz can be used to weave auto- ...
www.cs.wustl.edu/~schmidt/PDF/J2EEML.pdf - Similar pages

Piecemeal migration of a document archive system with an ...
pend on one technology. The communication **subsystem** it-. self should be
exchangeable as a component. Through the existing **application** we already know
the ...
ieeexplore.ieee.org/iel5/7309/19763/00914983.pdf - Similar pages

Patents in Class 719/316
A remote **proxy** generator (300) generates a remote **proxy** class for use in client-
side communications for communications between a client **application** (108) ...
www.freepatentsonline.com/CCL-719-316-p6.html - 68k - Cached - Similar pages

[PDF] Proceedings of the 6 USENIX Conference on Object-Oriented ...
File Format: PDF/Adobe Acrobat
ated by an ORB to **customize** client behavioron a per-interface. basis. **Interceptors**,
which are ... TAO's smart **proxy** and **interceptor** mechanisms and resolved ...
www.sagecertification.org/publications/
library/proceedings/coots01/full_papers/wang/wang.pdf - Similar pages

[PDF] WS Portal Security R04 (G325-2090-01) WP.indd
File Format: PDF/Adobe Acrobat - View as HTML
Use of an authentication **proxy**. WebSphere **Application** Server provides a trust.
association **interceptor** (TAI) interface that allows it to establish ...
ftp://ftp.software.ibm.com/software/websphere/pdf/WS_Portal_Security_G325-2090-
01.pdf - Similar pages

[PDF] A RMI-Security-Extension using the PERMI framework
File Format: PDF/Adobe Acrobat - View as HTML
subsystem secure in heterogenous and distributed systems. The ap- .....
APPLICATION I. A P P L I C A T I O N I. PERMI PML. (**Proxy** Management
Layer) ...
www.old.netobjectdays.org/pdf/03/papers/node/200.pdf - Similar pages

Site map - IBM WebSphere **Application** Server Network Deployment
Developing a custom **interceptor** for trust associations · Trust association
interceptor support for ..... Managing the WebSphere **Application** Server
subsystem ...
publib.boulder.ibm.com/.../wasinfo/v6r1/
topic/com.ibm.websphere.nd.multiplatform.doc/info/ae/htmlnav.html - 483k -

Web   Images   Video   News   Maps   Gmail   more ▾   Sign in

Google

PROXY AND CUSTOMIZATION AND INTER([Search]   Advanced Search
                                                    Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results 21 - 30 of about **30,100** for <u>PROXY</u> AND <u>CUSTOMIZATION</u> AND <u>INTERCEPTOR</u> AND <u>APPLICATION SUBSYSTEM</u>. (0.15 seco

Secure Virtual Enclaves: Supporting Coalition Use of Distributed ...
Java Web Server **interceptor**. IIS uses Windows NT's Internet Server **Application**
Programming Interface. (ISAPI) as a **customization** interface. ...
portal.acm.org/ft_gateway.cfm?id=501964&type=pdf&coll=portal&dl=ACM -
Similar pages

[PDF] WebSphere Portal
File Format: PDF/Adobe Acrobat - View as HTML
Trust Association **Interceptor**. (TAI) module to be written. Security. **Proxy**. Trust.
Association. **Interceptor**. LDAP. Login Form. WebSphere. **Application** ...
www.ibm.com/software/webservers/portal/library/WP-Architecture-V41.pdf -
Similar pages

Internet Archive Search: subject:"SNIFFER"
The visual nature of the **application** makes it easy to spot problem areas at a
glance. You can **customize** your severity colors and levels, play sound files ...
www.archive.org/search.php?query=subject%3A%22SNIFFER%22 - 62k -
Cached - Similar pages

[PDF] Tivoli and WebSphere Sphere **Application** Server for on Server for z/OS
File Format: PDF/Adobe Acrobat
proxy servers, Web **application** servers, middleware, and database ...... The Trust
Association **Interceptor** feature in WebSphere on 390 is enabled by ...
www.redbooks.ibm.com/redbooks/pdfs/sg247062.pdf - Similar pages

1 Introduction
suggest that customizing middleware on a per-**application** ..... 1998 also provides for
interceptors. Suggestions for **customization** have appeared in the ...
doi.ieeecomputersociety.org/10.1109/ICDCS.1998.679502 - Similar pages

Transaction management Introduction Spring.NET provides a ...
Note that not specifying any ordering will leave the decision as to what order advice
is run in to the AOP **subsystem**. The " **proxy**-target-type " attribute on ...
fisheye1.cenqua.com/browse/~raw,r=1.13/
springnet/Spring.Net/doc/reference/src/transaction.xml - 64k -
Cached - Similar pages

[PDF] Clustered Remoting For Spring Framework - Reference Documentation
File Format: PDF/Adobe Acrobat - View as HTML
remoting **subsystem** of Spring framework and provides possibilities to build more
stable and ..... It is possible to **customize** all internals of client **proxy** ...
www.soft-amis.com/cluster4spring/cluster4spring_reference.pdf - Similar pages

[PDF] An **Application** Framework for Efficient, Reliable and Secure Access ...
File Format: PDF/Adobe Acrobat - View as HTML
The **application** can then. start to invoke file system related operations onto the
HLFS. In our design, each operation has an. **interceptor** deployed at the ...
www.hpl.hp.com/techreports/2006/HPL-2006-83R1.pdf - Similar pages

Apache Jakarta Project[FeedShow RSS reader]
Turbine is a Java Servlet Web **Application** Framework and associated component
library. ... a new and much more sophisticated user input validation **subsystem**. ...
www.feedshow.com/show_items-feed=1ec22c757a469a81ffd8e84e9ea2439b - 60k -
Cached - Similar pages

webtool.pasblog.com - Blog The first blog : Last posts
Acts as an HTTP **Proxy** running on port 8888 of local PC. Any **application** which
accepts an ... JScript.NET event-based scripting **subsystem**. Free, for Windows. ...
webtool.pasblog.com/The-first-blog-b1-1.htm - 41k - Cached - Similar pages

Google
.

PROXY AND CUSTOMIZATION AND INTER(	Search	Advanced Search

Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results 31 - 40 of about 30,100 for **PROXY** AND **CUSTOMIZATION** AND **INTERCEPTOR** AND **APPLICATION** SUBSYSTEM. (0.10 seco

[PDF] The JBoss 4 **Application** Server Guide
File Format: PDF/Adobe Acrobat
To introduce a new protocol binding, or **customize** the **proxy** factory, or the client
side **interceptor** stack, requires. defining a new. invoker-**proxy**-binding ...
docs.jboss.org/jbossas/jboss4guide/r5/adminguide.pdf - Similar pages

Chapter 17. Transaction management
Interceptor.AttributesTransactionAttributeSource to obtain that information .... leave
the decision as to what order advice is run in to the AOP **subsystem**. ...
www.springframework.net/docs/1.1-RC2/reference/html/transaction.html - 80k -
Cached - Similar pages

Chapter 17. Transaction management
Conceptually, calling a method on a transactional **proxy** looks like this. ....
Interceptor.AttributesTransactionAttributeSource to obtain that information ...
springframework.net/doc-latest/reference/html/transaction.html - 80k -
Cached - Similar pages

[PDF] Cisco Customer Response Solutions Servicing and Troubleshooting Guide
File Format: PDF/Adobe Acrobat - View as HTML
Application subsystem in partial service and **application** running for an
unexpectedly ...... If you are using a **proxy** service in Internet Explorer on the CRS ...
www.cisco.com/**application**/pdf/en/us/guest/
products/ps6879/c1237/ccmigration_09186a00806128ae.pdf - Similar pages

[PDF] Comparison of energy aware, nomadic mobile middleware solutions
File Format: PDF/Adobe Acrobat - View as HTML
[22] M. Satyanarayanan, J. Flinn and K. Walker, "Visual **Proxy**: Ex-. ploring OS
customization without **application** source", Operation. Systems Review, Vol. ...
www.cs.helsinki.fi/u/kraatika/Courses/EnergyAwareness2005/Nurmela.pdf -
Similar pages

[PDF] Communications Billing Analytics Architecture Guide v5.0.3
File Format: PDF/Adobe Acrobat - View as HTML
Object Management – this **sub-system** is used by Communications Billing ....
Flexible transaction management – transaction **proxy interceptors** are used to ...
download.oracle.com/docs/cd/E05649_01/BillAnalys/D103866.pdf - Similar pages

SSJ - Full Feature List
Asynchronous invocation is possible via dynamic **proxy**, dynamic invocation
interface (DII) or asynchronous messaging. With Server for Java, your **application** ...
www.idoox.com/products/ssj/features - 63k - Cached - Similar pages

[PDF] Framework Support for Web **Application** Security
File Format: PDF/Adobe Acrobat - View as HTML
what do we do if our web **application** accesses a **subsystem** that defines a
custom ...... To enforce security, Acegi uses security **interceptors**. ...
www.diva-portal.org/diva/getDocument?urn_nbn_no_ntnu_diva-1285-1__fulltext.pdf -
Similar pages

[PDF] Artix 2.1 Release Notes
File Format: PDF/Adobe Acrobat - View as HTML
Artix Java **applications** do not support the use of C++ **interceptors** built. using
Visual C++ v7.1. .... Artix logging to XML file includes the **subsystem** name. ...
www.wonderwall.com/support/docs/artix/2.1/release_notes/release_notes.pdf -
Similar pages

[PDF] IBM WebSphere **Application** Server for z/OS, Version 5.1: Security
File Format: PDF/Adobe Acrobat
Application Server **subsystem** that considered as an extension of WebSphere ......
your own trust association **interceptor** with a reverse **proxy** security server ...

Google
ᵹ

PROXY AND CUSTOMIZATION AND INTERC[Search] Advanced Search
                                                      Preferences

.The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results 41 - 50 of about 30,100 for **PROXY** AND **CUSTOMIZATION** AND **INTERCEPTOR** AND **APPLICATION** SUBSYSTEM. (0.10 seco

Spring - Java/J2EE **Application** Framework
This is useful to allow the person deploying an **application** to **customize** some ......
An Advisor and an **Interceptor** used to provide advice. An AOP **proxy** bean ...
www.up.ac.za/services/it/intranet/sysops/docs/spring/SpringReference.htm - 694k -
Cached - Similar pages

Electrical computers and digital processing systems: multicomputer ...
20060161625 - System, a method and a message **interceptor** for overload .....
operations of an **applications subsystem** and a communications **subsystem**. ...
www.freshpatents.com/Electrical-computers-and-digital-processing-systems--
multicomputer-data-transferring... - 352k - Cached - Similar pages

Heterogeneous access to service-based distributed computing: the ...
complicates the deployment of distributed **applications** [19]. RMIX overcomes these
issues by leveraging dynamic **proxy**. classes [18] and featuring dynamic ...
ieeexplore.ieee.org/iel5/8608/27277/01213205.pdf - Similar pages

[PDF] JBoss **Application** Server 4.2.2
File Format: PDF/Adobe Acrobat
This **subsystem** works closely with the StateManager service. Destination
Manager ...... The client-side **interceptor (proxy)** architecture for clustering ....
labs.jboss.com/.../freezone/docs/Server_Configuration_Guide/
beta422/pdf/Server_Configuration_Guide.pdf - Similar pages

[PDF] IBM Tivoli Composite **Application** Manager V6.1 Family
File Format: PDF/Adobe Acrobat
The Warehouse **Proxy** Agent is the interface between Tivoli ...... 9.2.5, "SMF
customization" on page 353. 9.2.1 CYN1 **subsystem** definition ...
www.redbooks.ibm.com/redbooks/pdfs/sg247151.pdf - Similar pages

[PDF] Building EJB **Applications** - A Collection of Patterns
File Format: PDF/Adobe Acrobat - View as HTML   .
customization of components and thus allows a broader variety of **applications** for
components. This is basically an adaptation of GoF's strategy pattern ...
www.voelter.de/data/pub/EJBPatterns.pdf - Similar pages

[PDF] A Pattern Language for the Design of Aspect Languages and Aspect ...
File Format: PDF/Adobe Acrobat - View as HTML
to **customize** existing techniques or implement (simple) aspect composition .....
tween the **application** logic and the instructions of the (**sub-)system** that ...
nm.wu-wien.ac.at/research/publications/b372.pdf - Similar pages

[PPT] grids.ucs.indiana.edu/ptliupages/publications/pres...
File Format: Microsoft Powerpoint - View as HTML
Interceptor. Collaboration as a WS Set up Session with XGSP. **Application** or ....
among managed streams (audio versus video) using performance **subsystem** ...
Similar pages

Experience Report: Design and Implementation of a Component-Based ...
customization of access control decision logic easier and avoids the need ....
General organization of the architecture into an **interceptor** and A&A logic ...
www.springerlink.com/index/uq6jhbu089hdmvfg.pdf - Similar pages

Nabble - Gnome - General - ImportError: No module named gtk
xproxymngproto XProxyManagementProtocol - X **Proxy** Management Protocol
headers seamonkey-nspr NSPR - The Netscape Portable Runtime ss ss -
Subsystem command ...
www.nabble.com/ImportError:-No-module-named-gtk-t4387718.html - 66k -
Cached - Similar pages